

Notice of Allowability

Application No.

10/675,720

Examiner

Mary A. El-Shammaa

Applicant(s)

FABIAN ET AL.

Art Unit

2883

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Response filed 8/8/05.
2. ☒ The allowed claim(s) is/are 1-23.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

Allowable Subject Matter

Claims 1-23 are allowed.

The following is an examiner's statement of reasons for allowance: regarding independent claims 1 and 22, the prior art fails to teach or fairly suggest the following in italics, in addition to the accompanying features of the claims, a coated optical fiber and an optical fiber coating system comprising a *hydrophilic primary coating having a Young's modulus less than 2 MPa wherein the primary coating exhibits no water bubble formation and no delamination when the coated optical fiber is soaked in water at 23 °C for 30 days, and a secondary coating.*

Regarding independent claims 15 and 23, the prior art fails to teach or fairly suggest the following in italics, in addition to the accompanying features of the claims, a coated optical fiber and an optical fiber coating system comprising a *hydrophilic primary coating having a Young's modulus less than 2 MPa and an average water absorption of at least 4% and a secondary coating.* Claims 2-14 and 16-21 are allowable by virtue of their dependency.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2883

Conclusion


The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. While US 6,304,704 B1 (Kalish et al.) teaches of a hydrophilic coating on an optical fiber, this reference teaches away from having no bubble formation, and actually encourages bubble formation as a buffer in the fiber layers. This reference is silent as to Young's modulus and soaking the fiber in water for 30 days at 23°C. While US 6,087,000 A (Girgis et al.) teaches of a hydrophilic coating on an optical fiber, this reference is silent as to Young's modulus and soaking the fiber in water for 30 days at 23°C.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary A. El-Shammaa whose telephone number is 571.272.2469. The examiner can normally be reached on M-F (8:30am-5:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on 571.272.2415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MAE
September 15, 2005


Frank G. Font
Supervisory Patent Examiner
Technology Center 2800